


DRIVER RISK INVENTORY - II SHORT FORM

\*\*\*\*\*

NAME : Example Report CONFIDENTIAL REPORT  
 AGE: 29 SEX : Male  
 DATE OF BIRTH : 05/12/1991  
 ETHNICITY/RACE : Caucasian  
 EDUCATION/GRADE : High school graduate  
 MARITAL STATUS : Married  
 DATE DRI SCORED : 12/11/2020

DRI-II Short Form results are confidential and should be considered working hypotheses. No diagnosis or decision should be based solely upon DRI-II Short Form results. The DRI-II Short Form is to be used in conjunction with experienced staff judgment.



\*\*\* Substance (Dependency/Abuse) Classification: substance abuse

SUPPLEMENTAL INFORMATION

-----

BAC current DUI arrest : .12	Reduced to reckless driving: No
Date of DUI arrest :12/11/2004	Other DUI's pending : No
Refused breathalyzer test: No	License suspended/revoked : No

Number of:	Number of:
DUI arrests in last 10 years... 1	Traffic violations, 10 yrs... 4
Alcohol arrests (not DUI) 10 yrs 0	At-fault accidents, 10 yrs... 1
Drug arrests (not DUI) 10 yrs... 0	DUI schools attended..... 0

## \* \* SUMMARY PARAGRAPHS EXPLAINING CLIENT'S ATTAINED SCALE SCORES \* \*

## TRUTHFULNESS SCALE: LOW RISK RANGE

RISK PERCENTILE:24

This is an accurate DRI-II profile and other scale scores are accurate. This person responded to the DRI-II test items in a nondefensive, cooperative and truthful manner. Denial and distortion are minimal. This person has adequate reading skills and was truthful. The Truthfulness Scale identifies self-protective, recalcitrant and guarded people who minimize or even conceal self-report information.

DEPENDENCY/ABUSE CLASSIFICATION: Three or more of the seven DSM-IV dependency items (or their equivalents) are not admitted to, consequently the classification of 'dependency' as defined here does not apply. Moreover, this person reports (item #64) that he or she has not been diagnosed 'substance dependent' in the past. One or more of the substance abuse items (or their equivalents) are admitted to, which meets the criteria of 'substance abuse' as defined here. These admissions include: #13. This client describes their drinking as a moderate problem and their drug use as a minimum problem. This person's Alcohol Scale score is elevated (at or above the 70th percentile) whereas their Drugs Scale score is not (at or below the 69th percentile) elevated. This profile is not uncommon in the early stages of substance use, or after relapse. In summary, this client meets the DSM-IV substance abuse classification. And within this abuse category their degree of risk is represented by their Alcohol Scale score.

## ALCOHOL SCALE: PROBLEM RISK RANGE

RISK PERCENTILE:83

This person's response pattern on the Alcohol Scale is in the Problem Risk (70 to 89th percentile) range. A drinking or alcohol-related problem is indicated. An interview will establish if this person is a "recovering" alcoholic. Recovering usually means the person has a problem but is abstaining. If recovering, establish the recovery history. Relapse risk is high. Consider counseling (individual or group) and/or attendance at Alcoholics Anonymous (AA) meetings. An alcohol-related problem is indicated. Although this person does not meet the DSM-IV dependency criteria, their scale score indicates that the person does represent a substance use risk. The severity of this client's Alcohol Scale score is an area of inquiry that should be explored in interview. The severity of this person's score reflects problematic substance use.

## DRIVER RISK SCALE: PROBLEM RISK RANGE

RISK PERCENTILE:81

This person presents as a driver risk and may be an irresponsibly aggressive driver. This person is likely impatient, quick tempered and easily angered while driving. Even under "normal" conditions this person could be a driver risk. Thus, independent of substance (alcohol or other drugs) use or abuse, this person scored in the Problem Risk (70 to 89th percentile) range. A driver safety course may be helpful.

## DRUGS SCALE: LOW RISK RANGE

RISK PERCENTILE:19

This person's response pattern on the Drugs Scale is in the Low Risk (zero to 39th percentile) range. Few, if any, significant indicators of at-risk drug use are evident. If present, drug involvement may be

historical, experimental or minimal. Review other DRI-II scale scores along with the Significant Items in a Structured Interview. This arrest is of concern. An interview will help clarify if substance use is episodic or represents non-habitual abuse.

SIGNIFICANT ITEMS: The following self-report responses represent areas that may help in understanding the respondent's situation and status.

ALCOHOL

-----

- 10. Attended Alcoholics Anon.(AA)
- 26. Treated for a drinking problem
- 42. Drinking a problem past year

DRUGS

-----

No significant items were reported for this scale. Review items 68 through 73 below even though they reflect the client's subjective opinion.

DRIVER RISK

-----

- 7. Admits often drives fast

SECTION 2: Answers to multiple choice items are printed below:

-----

- 68. Drinking is a moderate problem
- 69. Not sure about alcohol treatmt
- 70. One alcohol treatment program
- 71. Not a "recovering" person
- 72. No need for drug treatment
- 73. Drug use is not a problem

COMMENTS/RECOMMENDATIONS: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_  
STAFF MEMBER SIGNATURE

\_\_\_\_\_  
DATE

(DRI TEST # 1 )

DRI-II SHORT FORM RESPONSES

-----

1- 50	TFTFFTTTFT	FTTTTTFTTT	FTFFTTFFFT	FTFFFFTFFF	TTFTFTFFFF
51-73	TFTFTFFFFF	FTFFFTF231	444		