

PRE - POST INVENTORY


CONFIDENTIAL REPORT

NOTE:  PRETEST

NAME: Example Report
AGE : 16 SEX: Male
ETHNICITY/RACE: Caucasian
HIGHEST GRADE ATTAINED: 9

ID#: 0000000001
First Test Administration
DATE SCORED: 11/11/2009

The Pre-Post Inventory is to be used in conjunction with experienced staff judgment. No diagnosis or decision should be based solely upon Pre-Post Inventory results. Consider these results working hypotheses.



CLIENT NEEDS AND STATUS RESPONSES

Death/Suicide (#30)..... 5	Recovering Drugs (#11)..... 5
Suicidal/Homicidal (#138)..... 4	Attends AA (#64)..... 5
Recovering Drinker (#61)..... 5	Attends CA (#22)..... 4

OBSERVATIONS/RECOMMENDATIONS: _____

STAFF MEMBER SIGNATURE

DATE

ATTAINED SCALE SCORE EXPLANATIONS

TRUTHFULNESS SCALE: LOW RISK RANGE RISK PERCENTILE:24

This is a Low Risk (zero to 39th percentile) score and other scale scores are accurate. Denial, minimizing and faking are minimal. This person was open, honest and truthful. And, this client has adequate reading skills. The Truthfulness Scale identifies self-protective, recalcitrant and guarded people who minimize or conceal information.

ALCOHOL SCALE: MAXIMUM RISK RANGE RISK PERCENTILE:90

Many self-report indicators of alcohol abuse are evident. However, to be safe check if this person is "recovering" (alcohol problem, but has stopped drinking). Relapse risk is high. This person's score on the Alcohol Scale is in the severe problem (90 to 100th percentile) range. With regard to alcohol, this is a Severe Problem risk score.

DRUGS SCALE: PROBLEM RISK RANGE RISK PERCENTILE:83

This is a Problem Risk (70 to 89th percentile) score. Drug use or abuse is indicated and may be a focal issue in this client's adjustment problems. Either this person is "recovering" (drug problem, but has stopped using) drug user, or this client manifests an established pattern of drug abuse. Relapse is possible. This is a Problem Risk Drugs Scale score.

DISTRESS SCALE: PROBLEM RISK RANGE RISK PERCENTILE:86

This client's Distress Scale score is in the Problem Risk (70 to 89th percentile) range. Moods likely vary from agitated to despondent. Distress is affecting this person's adjustment. Symptoms include unhappiness, discontent, worry, anxiety, apprehension and depression.

RESISTANCE SCALE: PROBLEM RISK RANGE RISK PERCENTILE:80

This individual's score is in the Problem Risk (70 to 89th percentile) range. Problem Risk scorers are often evasive, resistant and can be oppositional. They can resist authority and conflict resolution with them is often difficult. This client needs to understand relationships, attitudes and how his or her outlook impacts on others.

SELF-ESTEEM SCALE: PROBLEM RISK RANGE RISK PERCENTILE:84

This person's Self-Esteem Scale score is in the problem (70 to 89th percentile) or negative range. This client devalues self, feels inadequate and lacks self-confidence. Such persons are often moody, worrisome and insecure. Although negative self-esteem is indicated, it may be situation-related. This client score reflects negative self-esteem.

STRESS COPING SCALE: MAXIMUM RISK RANGE RISK PERCENTILE:95

Stress is a focal issue in this person's impaired adjustment. Poor stress coping abilities are evident. Stress exacerbates other symptoms of emotional and mental health problems. This client likely manifests identifiable emotional and mental health problems. This person has very serious stress coping problems.

10 POINT RECENCY MEASURES: LAST 30 DAYS

MEASURE	POINTS	DESCRIPTION
ALCOHOL	8	Client acknowledges has a drinking problem
DRUGS	2	Clarify client's answers to #26 & #46
DANGEROUSNESS	0	No suicidal or homicidal admissions

SIGNIFICANT ITEMS: The following self-report responses represent areas that help in understanding the client's problems, situation or needs.

ALCOHOL

20. When drinks, cannot stop
 42. Problem in last 30 days
 56. Not confident won't abuse
 72. Abused drinking last 30 days

DRUGS

Lack of items may be deceptive.
 Review Truthfulness Scale.

DISTRESS

Lack of items may be deceptive.
 Review Truthfulness Scale.

RESISTANCE

10. Says doesn't want or need help
 35. Doesn't want advice
 69. No confidence in staff

SOCIAL STRESSORS (STRUCTURED INTERVIEW)

135. Undecided about treatment	142. No alcohol treatment
136. Drugs not a problem	143. Drug treatment helped little
137. Drinking a moderate problem	144. No need for alcohol treatment
138. Not suicidal or homicidal	145. No need for drug treatment
139. Some distress problems	146. Not sure if needs counseling
140. Last 30 days: drinking same	147. No treatment in last 30 days
141. No drug problem	148. Not in program last 30 days

PRETEST RESPONSES (TEST #1)

1- 50	2224214424	5341242442	4413343145	5345243345	2223243523
51-100	2324143314	5225313244	2241243212	4223242443	2245144212
101-148	1511531211	2424323333	2142321212	1232242422	44344344

PRE - POST INVENTORY

 CONFIDENTIAL REPORT
 POSTTEST

NAME: Example Report
 AGE : 16 SEX: Male
 ETHNICITY/RACE: Caucasian
 HIGHEST GRADE ATTAINED: 9

ID#: 0000000001
 Second Test Administration
 DATE SCORED: 01/11/2010

The Pre-Post Inventory is to be used in conjunction with experienced staff judgment. No diagnosis or decision should be based solely upon Pre-Post Inventory results. Consider these results working hypotheses.

MEASURES	%ile	PRE-POST PROFILE			
-----	----	+-----+-----+-----+-----+			
		- LOW RISK	- MEDIUM	-PROBLEM-	-MAX-
		-	-	-	-
TRUTHFULNESS	10	*****
ALCOHOL	84	*****	*****
DRUGS	72	*****	*****
DISTRESS	73	*****	*****
RESISTANCE	50	*****
SELF-ESTEEM	56	*****
STRESS COPING	61	*****
		+-----+-----+-----+-----+			
		0	40	70	90 100
		----- PERCENTILE SCORES -----			

CLIENT NEEDS AND STATUS RESPONSES

Death/Suicide (#30).....	5	Recovering Drugs (#11).....	5
Suicidal/Homicidal (#138).....	4	Attends AA (#64).....	1
Recovering Drinker (#61).....	1	Attends CA (#22).....	4

OBSERVATIONS/RECOMMENDATIONS: _____

STAFF MEMBER SIGNATURE

DATE

ATTAINED SCALE SCORE EXPLANATIONS

TRUTHFULNESS SCALE: LOW RISK RANGE RISK PERCENTILE:10

This is a Low Risk (zero to 39th percentile) score and other scale scores are accurate. Denial, minimizing and faking are minimal. This person was open, honest and truthful. And, this client has adequate reading skills. The Truthfulness Scale identifies self-protective, recalcitrant and guarded people who minimize or conceal information.

ALCOHOL SCALE: PROBLEM RISK RANGE RISK PERCENTILE:84

This is a Problem Risk (70 to 89th percentile) score. Alcohol use or abuse is a focal issue. Either an established pattern of drinking is evident, or this person is "recovering" (alcohol problem, but has stopped drinking). Relapse is possible. Clarify this person's history and pattern of drinking. With regard to alcohol, this is a Problem Risk score.

DRUGS SCALE: PROBLEM RISK RANGE RISK PERCENTILE:72

This is a Problem Risk (70 to 89th percentile) score. Drug use or abuse is indicated and may be a focal issue in this client's adjustment problems. Either this person is "recovering" (drug problem, but has stopped using) drug user, or this client manifests an established pattern of drug abuse. Relapse is possible. This is a Problem Risk Drugs Scale score.

DISTRESS SCALE: PROBLEM RISK RANGE RISK PERCENTILE:73

This client's Distress Scale score is in the Problem Risk (70 to 89th percentile) range. Moods likely vary from agitated to despondent. Distress is affecting this person's adjustment. Symptoms include unhappiness, discontent, worry, anxiety, apprehension and depression.

RESISTANCE SCALE: MEDIUM RISK RANGE RISK PERCENTILE:50

This person's score is in the Medium Risk (40 to 69th percentile) range. Although typically cooperative, stress, substance abuse or perceived threat can exacerbate defensiveness, uncooperativeness and resistance. This person functions best with clearly understood behavioral expectations and consequences.

SELF-ESTEEM SCALE: MEDIUM RISK RANGE RISK PERCENTILE:56

This client's self-esteem is relatively intact. Although generally positive self-esteem is indicated, some ambivalence or indecisiveness regarding "self" is becoming evident. Self-esteem reflects an explicit valuing and appraisal of oneself with ambivalent "approval" versus "disapproval" features. This is a Medium Risk Self-Esteem Scale score.

STRESS COPING SCALE: MEDIUM RISK RANGE RISK PERCENTILE:61

This is a Medium Risk (40 to 69th percentile) range score. Stress is not a focal issue in this client's adjustment. Symptoms of stress can include irritability, moodiness, substance (alcohol and other drugs) abuse, and interpersonal conflict. With regard to stress coping abilities, this is a Medium Risk score.

10 POINT RECENCY MEASURES: LAST 30 DAYS

MEASURE	POINTS	DESCRIPTION
ALCOHOL	2	Clarify client's answers to #38 & #137
DRUGS	1	Clarify client's answer to item #4
DANGEROUSNESS	0	No suicidal or homicidal admissions

SIGNIFICANT ITEMS: The following self-report responses represent areas that help in understanding the client's problems, situation or needs.

ALCOHOL

12. Has not stopped drinking
61. States "recovering" alcoholic
64. Attends AA meetings

DRUGS

4. Abused drugs within 30 days

DISTRESS

7. Needs a confidant

RESISTANCE

10. Says doesn't want or need help

SOCIAL STRESSORS (STRUCTURED INTERVIEW)

135. Undecided about treatment	142. Alc. treatment helped greatly
136. Drugs not a problem	143. No drug treatment
137. Drinking a moderate problem	144. Alcohol: may need help
138. Not suicidal or homicidal	145. No need for drug treatment
139. Some distress problems	146. May need counseling
140. Last 30 days: drinking better	147. Last 30 days trtmt: excellent
141. No drug problem	148. Program: worthwhile

PPI RESPONSES (TEST #4)

1- 50	1141112514	5241242443	5414422435	4135452345	2441254414
51-100	1215125211	1421111415	1511115122	4213434442	4245144324
101-148	1521533231	2134321312	3142331331	2324242423	41424211

PRE - POST INVENTORY



COMPARISON REPORT

NAME: Example Report ID#: 0000000001
 AGE : 16 SEX: Male
 ETHNICITY/RACE: Caucasian Second Test Administration
 HIGHEST GRADE ATTAINED: 9 DATE SCORED: 01/11/2010

THE PRE-POST INVENTORY IS TO BE USED IN CONJUNCTION WITH EXPERIENCED STAFF JUDGMENT. NO DIAGNOSIS OR DECISION SHOULD BE BASED SOLELY UPON PRE-POST INVENTORY RESULTS.

PRE-POST SCALE COMPARISON

SCALES	SCALE SCORES PRETEST VS POSTTEST	PRE-POST COMPARISON
TRUTHFULNESS	+ 14	significant improvement
ALCOHOL	+ 5	modest improvement
DRUGS	+ 6	average improvement
DISTRESS	+ 5	modest improvement
RESISTANCE	+ 7	notable improvement
SELF-ESTEEM	+ 5	modest improvement
STRESS COPING	+ 11	significant improvement

COMPARISON INDEX: This index compares pretest (1st test administration) scale scores with posttest (2nd test administration) scale scores. All scale scores are represented. All seven scales indicate improvement.

HERE AND NOW 10-POINT RECENCY COMPARISON

MEASURE	Pretest Points	Posttest Points	Pre-Post Change	COMPARISON RESULTS
Alcohol	8	2	+6	impressive improvement seen
Drugs	2	1	+1	essentially the same
Dangerousness	0	0	0	the same (no change)

10-Point Recency comparisons indicate that the client has positively benefited from program participation.

CLIENT PROGRAM RATING

Rating Item	Pretest	Posttest	Change	Results
69. Staff can help	4	1	+3	moderate improvement
79. Talking w. staff	1	2	-1	essentially the same
142. Alcohol counsel.	4	1	+3	moderate improvement
143. Drug counseling	3	4	-1	essentially the same
147. 30 days counseling	4	1	+3	moderate improvement
148. Prg effectiveness	4	1	+3	moderate improvement

Client program ratings indicate that the client has positively benefited from program participation.

SELF-RATING OF PROBLEMS	Pretest	Posttest	Results
15. Alcohol rated as mild	2 True	2 True	unchanged
74. Drug use rated as mild	1 True	1 True	unchanged
136. Describe your drug use:	4 None	4 None	unchanged
137. Describe your drinking:	2 Moderate	2 Moderate	unchanged

The client self-ratings of problems indicate that the four rating items essentially did not change.

STRUCTURED INTERVIEW PRE-POST COMPARISON (Client's opinions)

Test Question	Pretest Answer	Posttest Answer
135. Desire for treatment:	2-Some motivation	2-Some motivation
136. Describe your drug use:	4-No problem	4-No problem
137. Describe your drinking:	2-Moderate problem	2-Moderate problem
138. Recent suicidal/homicidal:	4-No such thoughts	4-No such thoughts
139. Level of distress:	2-Some problems	2-Some problems
140. Drinking has recently:	2-Stayed the same	3-Gotten better
141. Drugs has recently:	4-No problem	4-No problem
142. Alcohol treatment has:	4-No treatment	1-Helped greatly
143. Drug treatment has:	3-Helped a little	4-No treatment
144. Desire alcohol treatment:	4-No motivation	2-Some motivation
145. Desire for drug treatment:	4-No motivation	4-No motivation
146. Mental health counseling:	3-Little motivation	2-Some motivation
147. Last 30 days counseling:	4-No counseling	1-Excellent
148. Program effectiveness:	4-No counseling	1-Effective

The Pre-Post comparison of the 14 structured interview items, indicates 4 positive changes, 7 remained the same, and 3 became worse.

OBSERVATIONS/RECOMMENDATIONS: _____

STAFF MEMBER SIGNATURE

DATE