OFFENDER ASSESSMENT INDEX

NAME: Example Report

AGE: 43 SEX: Male

ETHNICITY/RACE: Caucasian

EDUCATION/GRADE: H.S. Graduate

CONFIDENTIAL INFORMATION

DATE OF BIRTH: 01/01/1971

MARITAL STATUS: Married

DATE SCORED: 05/23/2018

Offender Assessment Index (OAI) results are confidential and should be considered working hypotheses. No diagnosis or decision should be based solely upon OAI results.

ADDITIONAL INFORMATION PROVIDED BY CLIENT

Age at first arr Felony arrests Times on probati Probation revoca Times on parole. Months employed	on tions	1 1 0 0	Jail sent Prison se Alcohol-r	ence nten elat	of times a scesed arrests arrests		. 0 . 0 . 1
MEASURES	%ile		OAI TRU		LNESS SCAL		
TRUTHFULNESS	51		LOW RISK	 	MEDIUM ■■■	PROBLEM	MAX
		0	PE	40 RCEN	-	•	0 100

TRUTHFULNESS SCALE: MEDIUM RISK RANGE

This OAI profile is accurate. However, there is a tendency for this person to deny common problems and to portray self in an overly favorable light. Specific questions will usually be answered more accurately than open-ended or general type questions. This is an accurate OAI profile and other scale scores are accurate. This person has adequate reading skills. Responses are reasonably accurate.

Substance (Dependency/Abuse) Classification: Substance Dependent

ABUSE/DEPENDENCY CLASSIFICATION: Three or more of the seven DSM-IV dependency items (or their equivalents) are admitted to, which meets the 'dependency' criteria as defined here. These admissions include: 7, 66. This person reports (item #74) that he or she has not been diagnosed 'substance dependent' in the past. This is a substance dependence classification with physiological dependence (Tolerance: 66). This client describes their drinking as a moderate problem and their drug use as a minimum problem. This person's Alcohol Scale score is elevated (at or above the 70th percentile) whereas their Drugs Scale score is not (at or below the 69th percentile) elevated. This OAI profile is not uncommon in the early stages of substance use, or after relapse. In summary, this client meets the DSM-IV substance dependency classification. And within this dependent category their degree of risk is represented by their Alcohol Scale score.

MEASURES	%ile	OAI SUBSTANCE ABUSE PROFILE				
AL COULO	07	LOW RISH	•	IUM	PROBLEM	•
ALCOHOL	87					• • •
DRUGS	67			==== . İ	i	j
		+	+	+		+
		0	40	70	90	100
			PERCENTILE	SCORES	;	

-2-

ALCOHOL SCALE: PROBLEM RISK RANGE

Alcohol abuse is evident. Alcohol (beer, wine or liquor) use and abuse are likely focal issues. An established pattern of alcohol abuse is indicated, or this person is a recovering (alcohol problem, but has stopped drinking) alcoholic. RECOMMENDATIONS: Counseling and / or Alcoholics Anonymous (AA) attendance might be helpful. Relapse is possible. Attendance and compliance should be monitored. With regard to the Alcohol Scale, this is a problem risk score.

DRUGS SCALE: MEDIUM RISK RANGE

An established pattern of drug use or abuse is not evident, however, there may be a "proneness" or emerging tendency toward drug use or abuse. Drug use may be experimental or historical. RECOMMENDATIONS: Important areas of inquiry include the client's history and pattern of drug use. Participation in Narcotics Anonymous (NA), Cocaine Anonymous (CA) or a drug-oriented educational program could be helpful. With regard to the Drugs Scale, this is a medium risk score

MEASURES	%ile	OAI OFFENDER PROFILE		
		+++		
RESISTANCE	58			
VIOLENCE	81			
STRESS COPING	47			
		0 40 70 90 100 PERCENTILE SCORES		

RESISTANCE SCALE: MEDIUM RISK RANGE

Resistance does not appear to present as a focal issue, however, some evasive and perhaps even oppositional tendencies are becoming evident. Although usually cooperative, these individuals are sensitive and can be defensive. Resistance (uncooperativeness, opposition, negativism, etc.) can be exacerbated by stress, perceived threat and substance (alcohol and other drugs) abuse. This individual would likely function best with clearly understood expectations as well as consequences, and emotional support of endeavor.

VIOLENCE SCALE: PROBLEM RISK RANGE

Violent tendencies are evident. Problem risk violent behavior is characterized by inconsiderateness, harshness, unruliness and explosiveness. These individuals are often controlling, abusive and can be violent. Substance abuse, jealousy and perceived stress could result in more violent behavior. The need to control frustration and anger while learning alternatives to violence is evident. Consider anger management classes. Review this person's record carefully for prior violent offenses, and if evident counseling might be considered.

STRESS COPING SCALE: MEDIUM RISK RANGE RISK PERCENTILE:47 Average stress coping abilities are evident. This person's ability to cope effectively with stress does not appear to be a focal concern. Significant stress-related problems are not indicated at this time. This person has average stress coping abilities. Stress refers to anxiety, tension and pressure. With regard to the Stress Coping Abilities Scale, this person copes adequately with stress.

SIGNIFICANT ITEMS: These answers are the defendant's self-reported responses. They represent direct admissions or unusual responses which may help in understanding the defendant's situation.

Alcohol

- 2. Concerned about drinking
- 12. Drinking is a problem
- 34. A recovering alcoholic
- 44. In last year: drinking problem * Additional Significant Items 55, 70, 81, and 87

Resistance

- 35. Does not want staff help
- 40. Doesn't want to discuss problms
- 45. Does not want help
- 56. Can solve problems alone * Additional Significant Items 77.

Druas

- 13. Pot helps feel good
- 30. Attended NA or CA meetings
- 51. Has sought help for drugs
- 83. In drug treatment
- * Additional Significant Items 95.

Violence

- 26. More dangerous than age peers
- 37. States can be dangerous
- 58. States has a short temper
- 73. Arrested for assault/viol crime * Additional Significant Items 79, 93, and 98

MULTIPLE CHOICE (OFFENDER'S SELF-REPORT):

- 136. Neglected children/household
- 137. Has not used when dangerous
- 138. No legal problems or arrests
- 139. Use despite problems & family
- 140. Denies serious problems
- 141. Denies increased tolerance
- 142. Denies withdrawal symptoms
- 143. Denies use to avoid withdrawal
- 144. Denies uses more/longer
- 145. Hasn't tried: reduce/stop use
- 146. Not lot of time getting/using
- 147. Not high/drunk before work etc

- 148. More time using, less family
- 149. Drinking: no problem
- 150. No need for alcohol treatment
- 151. Alcohol treatment programs: 4+
- 152. Not a recovering person
- 153. Drug use: no problem
- 154. No drug treatment programs
- 155. No need for drug treatment 156. No serious family/rel. prob.
- 157. Not arrested for violent crime
- 158. Not recntly suicidal/homicidal

OAI RESPONSES

1- 50	FTTFFTTFFT	FTTTFFTTFF	TTFFTTFFTT	FFTTFFTFFT	FFTTFTTFF1
51-100	TFFTTFFTTF	FFTFFTTFFT	TFTFFFTFTF	TTTFFTTFTT	FTTFTFFTT2
101-150	2331212232	1312231322	3134123243	2222224434	444444423
151_158	4444124				

^	RSED	ZIANT	/RECOMMEND	ATTONS .
u	R2FK	VALLUNS	/ KECUMMEND	AITONS:

STAFF MEMBER SIGNATURE

DATE